

EPINEPHRINE

Sympathomimetic



10 syringes per box
Supplier number: 600694



AGUETTANT CANADA INC.

Tel.: 514 772-6294 | Toll-free: 1 833 772-6294

Fax: 1 888 772-0380


injectables@aguettant.ca | www.aguettant.ca

EPINEPHRINE

(Sympathomimetic)

Ready to use

Shelf life of 2 years | Safe and sterile



Photos for illustration purposes only.

No preservative agent
no metabisulfite/sulfite

CONCENTRATION: Epinephrine bitartrate (1 mg / 10 mL)

ROUTE OF ADMINISTRATION: Parenteral

DOSAGE FORM/ STRENGTH/ COMPOSITION: Each milliliter of the 0.1 mg / mL solution contains epinephrine 0.1 mg (as epinephrine bitartrate) in water for injection, sodium chloride 9 mg.


NON-MEDICINAL INGREDIENTS: May contain additional sodium hydroxide and/or hydrochloric acid for pH adjustment -pH (3.0 to 3.4).

STORAGE & STABILITY: Store between 15-25°C. Keep in the aluminum wrapping. Protect from light, oxygen, freezing and excessive heat.

HANDLING INSTRUCTION: Retain product in aluminium packaging until ready to use. Do not use the injection if it is coloured or if it contains a precipitate. Do not administer unless solution is clear and seal is intact. Discard unused portion.

| | CPDN # | McKesson # |
|--------------------|--------|------------|
| ATROPINE 0,5 mg | 901100 | 172345 |
| ATROPINE 1 mg | 901117 | 171425 |
| EPINEPHRINE 1 mg | 902696 | 172711 |
| LIDOCAINE 1% 10 mL | 902429 | 179860 |


| | CPDN # | McKesson # |
|-----------------------|--------|------------|
| LIDOCAINE 2% 5 mL | 902375 | 179859 |
| LIDOCAINE 2% 10 mL | 902443 | 179832 |
| PHENYLEPHRINE 500 mcg | 901186 | 103187 |




1. Withdraw the pre-filled syringe from the sterile blister.




2. Push on the plunger to free the bung. The sterilisation process may have caused adhesion of the bung to the body of the pre-filled syringe.




3. Twist off the end cap to break the tamper evident seal. In order to avoid contamination, do not touch the exposed luer connection.



4. Check the pre-filled syringe seal tip has been completely removed. If not, replace the cap and twist again.



5. Expel the air by gently pushing the plunger.



6. Connect the pre-filled syringe to access device or the needle. Push the plunger slowly to inject the required volume.



PRODUCT LIST

Solutions for injection in pre-filled syringes

| Products | Dosing /Vol | DIN | Shelf life |
|---------------|-----------------|----------|------------|
| Atropine | 0.5 mg / 5 mL | 02426269 | 36 months |
| Atropine | 1 mg / 5 mL | 02426277 | 36 months |
| Epinephrine | 1 mg / 10 mL | 02521148 | 24 months |
| Lidocaine 1% | 100 mg / 10 mL | 02500647 | 36 months |
| Lidocaine 2% | 100 mg / 5 mL | 02522268 | 36 months |
| Lidocaine 2% | 200 mg / 10 mL | 02500655 | 36 months |
| Phenylephrine | 500 mcg / 10 mL | 02454599 | 36 months |