# Importation of UK-labelled APO-go PEN (Apomorphine Hydrochloride Solution for Injection) due to the current shortage of Apomorphine Hydrochloride Injection in Canada

Accuristix 100 Vaughan Valley Boulevard, Vaughan, Ontario, Canada L4H 3C5

08 January 2024,

Dear Parkinson organization,

There is a critical shortage of Movapo (Apomorphine Hydrochloride Injection, 10 mg / mL) as this product is no longer marketed (i.e., discontinued) in Canada. To help mitigate the acute shortage and facilitate a transition period, Health Canada has permitted the exceptional, temporary importation and sale of United Kingdom (UK)-labelled APO-go PEN (Apomorphine Hydrochloride Solution for Injection), with English only labels, by Accuristix.

Health Canada has accepted the addition of this drug product to the <u>List of drugs for</u> <u>exceptional importation and sale ( https://www.canada.ca/en/health-canada/services/drugs-health-products/drug-products/drug-shortages/list.html).</u>

In Canada, Movapo (Apomorphine Hydrochloride Injection, 10 mg/mL) was a prescription drug product indicated for the acute, intermittent treatment of hypomobility, "off" episodes ("end-of-dose wearing off" and unpredictable "on/off" episodes) in patients with advanced Parkinson's disease.

The UK-labelled product is supplied as a pre-filled pen with a total of 30 mg of apomorphine hydrochloride in 3 mL volume (30 mg / 3 mL) per cartridge (pen), with a dosage concentration of 10 mg/mL. The "cartridge" terminology used for the UK-labelled product is equivalent to the Canadian "PEN" terminology used for Movapo.

The UK-labelled product has the same active ingredient (apomorphine hydrochloride), strength (10 mg/mL), dosage form (solution), packaging (pre-filled pen), and route of administration (subcutaneous) as Movapo. Both the UK-labelled product and Movapo contain sodium bisulfite (E222), used as an excipient antioxidant.



However, the UK-labelled product **differs with respect to the brand name** (the UK-labelled product is named "APO-go PEN" while the Canadian product is named "Movapo").

The UK-labelled product can be used in the same manner as Movapo. Healthcare professionals should refer to the Canadian Product Monograph for Movapo available in English and French on the Health Canada Drug Product Database (<u>https://health-products.canada.ca/dpd-bdpp/index-eng.jsp</u>) for information on appropriate use including the indications, contraindications, warnings and precautions, adverse reactions, drug interactions, dosage and administration, storage conditions, and handling instructions.

In addition to the difference in brand name, pharmacists are advised/reminded to inform patients of the following:

- The UK-labelled drug product should be used in the same manner as Movapo.
- Patients should <u>NOT</u> take another dose of Apomorphine Hydrochloride Injection <u>sooner than 2 hours</u> after the last dose.

Brand name	Dosage form, strength and route of administration	Product description and packaging	Country of authorization and identifying code	Authorization holder	DEL holder/ Importer in Canada
APO-go PEN	Solution, 10 mg/mL apomorphine hydrochloride (30 mg / 3 mL), Subcutaneous injection	Solution for Injection Available in boxes of 5 cartridges (pens) of 3 mL. Each 3 mL cartridge contains 30 mg apomorphine hydrochloride.	United Kingdom, PL 04483/0073	Britannia Pharmaceuticals Ltd., UK Laboratoire Aguettant (France) is the manufacturer of the product. Aguettant can be contacted at injectables@aguettant.ca	Accuristix 100 Vaughan Valley Boulevard, Vaughan, Ontario, Canada, L4H 3C5

## Table 1: Information on the imported product



The UK-labelled product has a shelf-life of 24 months and should be **stored as per the labelled storage instructions for Movapo**. The storage instructions on the box label for Movapo are as follows:

- **Unopened PEN:** Store at 25°C (storage between 15°C to 30°C is acceptable). Keep the PEN in the original box to protect from light.
- **Opened PEN:** Store at room temperature (15°C to 30°C). Throw away the PEN 48 hours after opening.

Information about the UK-labelled product for reference by healthcare professionals can be found in the English Summary of Product Characteristics at:

https://aguettant.ca/fileadmin/aguettant\_canada/SPC\_APO-go.pdf

The UK SmPC included in the package is for both the UK product (marketing authorization number PL 04483/0073) and Malta product (marketing authorization number MA830/00302) countries

.and UK package leaflet for APO-go PEN at:

<u>https://aguettant.ca/fileadmin/aguettant\_canada/APO\_GO\_PEN\_10MG\_INJ\_3ML\_BRI\_GB\_PIL\_9243356\_2205.pdf</u> on the <u>aguettant.ca</u> website or upon request at <u>injectables@aguettant.ca</u>.

The UK package leaflet for APO-go PEN is also included in the UK box of 5 pens.

A comparison of the outer and inner labels of the UK-labelled product and Movapo can be found in Table 2 of the Appendix below.

Healthcare professionals are advised that aspects of the outer and inner labels of the UKlabelled product may differ from the Movapo product that was previously marketed in Canada.

The UK-labelled product does not have a drug identification number (DIN) or a barcode that scans in medication management systems in Canada. A facility-generated sticker may be required to enable barcode scanning and allow the product being dispensed and administered to be properly identified. **Proper selection of the intended product must be verified to avoid confusion with other products and prevent medication errors.** 

### **Reporting adverse drug reactions**

Adverse drug reactions associated with the use of APO-go PEN should be reported to Aguettant Canada Inc. by e-mail at <u>safety@aguettant.ca</u> or by phone toll-free at 1-833-772-6294 or to




Health Canada at https://www.canada.ca/en/health-canada/services/drugs-healthproducts/medeffect-canada/adverse-reaction-reporting/drug.htm l or by calling toll-free at 1-866-234-2345.

#### Questions or concerns

For questions or concerns about UK-labelled APO-go PEN, please contact Aguettant Canada Inc. by phone at 514-772-6294 or toll-free at 1-833-772-6294.

#### Appendix

#### UK-labelled APO-go PEN - Product Box (box of 5 pens)






#### **UK-labelled APO-go PEN**



Table 2: Comparison of outer and inner labels of UK-labelled APO-go PEN and Movapo(previously marketed in Canada)





Please after pharmacy tak	Each 3 mt cartridge contains 30 mg aponnorphine hydrochloride. For subcutaneous injection. Do not slore alove 25°C. Key the container in the outer carton to protect from high: Store at the same conditions after opening and the store of the solution is cheved or you can see gardica in it. Do not at the solution is cheved or you can see gardica in it. Discard after 48 hours of first injection.	Pr <b>MOVAPO</b> TMMC Apomorphine Hydrochloride Inj Chlorhydrate d'apomorphine Inj	30 mg / 3 mL Injection (10 mg / mL) ection / ection
5 055962 500025	Read the package healthe choice need           Pissen note: This pack does NOT contain needles:           This medicine cart mark you feel sleep, D. and drive while           Listing the medicine cart number you feel.           See the klafted inside for more information           Both mission of the more information           M	Do not use if the solution is cloudy, green or contains particles. Dose: Use as your doctor has told you to. See enclosed Patient Medication Information leafier before use. Storage: Unopened pen: store at 25 °C istorage between 15 °C to 30 °C is acceptable). Keep the pen in the original box to protect from light. Opened pen: store at room temperature (15 °C to 30 °C). Throw away the pen 48 hours after opening. Keep out of reach and sight of children. Product Monograph available on request.	Ne pas utiliser et la solution est floconneuse, verte ou contient des particules. Dosage: Liliter tel que recommandé par votre medecir. Voir le déplant de renseignements pour patient avant utilisét: Conserver à 25 °C (entreposage: Stylo non utilisét: Conserver à a 25 °C (entreposage entre 15 °C à 30 °C est acceptable). Garder le stylo ettanés Conserver à tempiérature ambiante (15 °C à 30 °C, leter le stylo 48 heures après la première utilisation. Garder hors de la ve et de la portée des enfants. Monographie de produit fournie sur demande.



